



*"The Home of
Honda
In Guyana"*



HONDA
MARINE



HONDA
MARINE



<u>FEATURES</u>	<u>SPECIFICATIONS</u>
Type	4-Stroke SOHC 2 Cylinder/4 Valves
Displacement	350 cc (21.4 cubic inches)
Bore & Stroke	59 mm x 64 mm (2.3 x 2.5 inches)
Full Throttle RPM Range	4,500-5,500 RPM
Rated Power	15 HP @ 5,000 RPM
Cooling System	Water Cooled
Fuel Delivery	1 Carburetor
Ignition System	PGM-IG
Starting System	Electric/Recoil
Exhaust	Through Hub
Lubrication	Wet Sump
Trim Range	4 Stage 8°-12°-16°-20°
Tilt Range	72°
Gear Ratio	2.08:1
Gear Shift	F-N-R
Alternator with voltage regulator (Electric Start)	12-Amp (148 watt)
Alternator with voltage regulator (Manual Start)	6-Amp (76 watt)
Propeller	4-Blade Aluminum
Diameter x Pitch, Standard	9¼ x 10 inches
Diameter x Pitch, Power Thrust	10 x 7⅝ inches
Power Tilt	Available
Oil Pressure Alert	Standard
Temperature Alert	Standard
Rev-Limiter	Standard
L Type	508 mm/20 inches
L-Type	50 kg/110 lbs.

A PORTABLE POWERHOUSE.

The BF15 is as convenient as you can get. At just 104 pounds, they are among the lightest in their class. Yet they're all Honda DNA: quiet, reliable, fuel efficient, and loaded with features.

Like the highest output charging system in their class, giving you plenty of power for all your electronics, even when trolling.

Or large displacement for a powerful performance. Choose the BFP Power Thrust design for even more boost, with 60% more thrust in reverse and 15% more in forward.

Add in easy one hand starting, shallow water drive, power tilt, and much more, and you've got the ideal combination of power and portability.

HONDA
MARINE